

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32670	test adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L2	152	(qualif\$3 or discard\$3 or reject\$3 or accept\$3) near4 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:19
L3	123338	(test or integrat\$3) near2 signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L4	452	(qualif\$3 or discard\$3 or reject\$3 or accept\$3) near4 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:14
L5	0	(calibrat\$3 near7 mixed) with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:15
L6	0	(calibrat\$3 near7 mixed) same 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:21
L7	1	(calibrat\$3 or mixed) with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:21
L8	6	(calibrat\$3 or mixed) same 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:25
L9	646	(qualif\$3 or discard\$3 or reject\$3 or accept\$3) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:20

L10	18	9 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:20
L11	5035	(qualif\$3 or discard\$3 or reject\$3 or fail\$3 or pass) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:38
L12	1	(calibrat\$3 near7 mixed) same 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:24
L13	65	(calibrat\$3 or mixed) with 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L14	90	11 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L15	81	11 and "341"/1\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L16	14	11 and "341"/12\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:22
L17	1761	(qualif\$3 or discard\$3 or reject\$3 or fail\$3 or valid or invalid) near7 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:23
L18	0	(calibrat\$3 near7 mixed) same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:24
L19	29	(calibrat\$3 or mixed) same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:27

L20	189	(test\$3 adj2 integrated adj3 circuit) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:35
L22	3	20 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L23	190	((test\$3 or calibrat\$3) adj2 integrated adj3 circuit) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:35
L24	219	((test\$3 or calibrat\$3) near2 integrated near2 (signal or mixed or circuit)) and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L25	4	24 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:36
L26	8083	(qualif\$3 or discard\$3 or reject\$3 or fail\$3 or pass or valid or invalid or accept\$) near7 (calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:44
L27	96	26 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L28	91	26 and "341"/1\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L29	33	26 and "341"/11\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40
L30	62	26 and "341"/12\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:40

L31	70	29 or 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:41
L32	10	mixed and 27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:41
L33	8083	(qualif\$3 or discard\$3 or reject\$3 or (pass near fail) or fail\$3 or pass or valid or invalid or accept\$ or (valid near invalid)) near7 (calibrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:45